



Material Safety Datasheet


EB 6200

High Temperature Epoxy Board

MSDS Version: 092713

1. Basic Information

Manufacturer: BCC Products
Address: 2140 Earlywood Drive
Franklin, Indiana 46131
Emergency Phone: (317) 736-4090
Transportation Emergency Phone Number: Chem-trec 1-800-424-9300
Chemical State: Solid
Chemical Type: Cured Epoxy



2. Ingredients

OSHA Hazardous Ingredients: The components of this product are not considered to be hazardous as defined by the OSHA Hazard Communication Standard (CFR 1910.1200).

3. Hazardous Identification

Emergency Overview: Dust hazard. Avoid dusty conditions. Avoid breathing dust. Use with adequate ventilation. In accord with good industrial practice, handle with due care.

4. First Aid Measures

Route(s) of entry:

Machining may produce inhalable dust.

Eyes: In case of contact with dust, flush eyes with plenty of water.

Medical Conditions Aggravated by Exposure: None known.

5. Fire Fighting Measures

Flash Point: NE (ASTM D-92) **Lower Explosive Limit:** NE **Upper Explosive Limit:** NE

Fire Extinguishing Media: Foam, Water Fog, Carbon Dioxide or Dry Chemical Extinguishers.

Special Fire Fighting Procedures:

Fire fighters should wear a self-contained breathing apparatus and protective clothing to guard against incompletely combusted carbon products.

Fire and Explosion Hazards:

Decomposition and combustion products may be toxic.

6. Accidental Release Measures

Accidental Release Measures: Sweep up into approved disposal container. Thoroughly vacuum area. Do not create dusty conditions.



Material Safety Datasheet

EB 6200

High Temperature Epoxy Board

MSDS Version: 092713

7. Handling and Storage

Signal Word: Caution!

Precautions: Dust hazard. Avoid dusty conditions. Avoid breathing dust. Use with adequate ventilation. Use normal industrial hygiene practices. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.

Other Handling Information: Nuisance dust may be generated when sanding or sawing cured material.

8. Exposure Controls / Personal Protection

Ventilation Requirements:

Local Exhaust: General mechanical and local exhaust in accordance with ACGIH recommendations

Personal Protective Equipment:

Respiratory Protection: Use NIOSH approved dust mask, if required during machining.

Protective gloves: Wear canvas gloves as a standard handling procedure.

Eye Protection: Wear safety glasses to protect against dust particles during machining.

9. Physical and Chemical Properties

Boiling Point: Unspecified **Melting Point:** NE **Evaporation Rate:** NE
Vapor Pressure (mm Hg): NE **Vapor Density (Air = 1):** NE

Solubility in water: Not Soluble
Appearance and odor: Light Blue Solid
Other Information: Volatility at 75°F = NA
Percent Volatile by Volume (%) = 0
Specific Gravity = 0.64 g/cc
PH Value: Not Determined

10. Stability and Reactivity

Stability: Stable

Incompatibility (materials to avoid): Strong Oxidizers. Acids and Bases

Decomposition By-Products: Carbon monoxide and carbon dioxide.

Hazardous polymerization: Will not occur.

11. Toxicological Information

Dust due to cutting and machining may cause irritation.

12. Ecological Information



Material Safety Datasheet

EB 6200

High Temperature Epoxy Board

MSDS Version: 092713

13. Disposal Considerations

Waste disposal of substance:

Consult qualified local or corporate personnel for method that will comply with local, state and federal health and environmental regulations.

14. Transportation Information

Land transport

USDOT

Not Regulated

Sea transport

IMDG

Not Regulated

Air transport

IATA/ICAO

Not Regulated

Motor Freight Classification Solid plastic mass, N.O.I.

15. Regulatory Information

US Federal Regulations:

Occupational Safety and Health Act (OSHA): This Material Safety Data Sheet (MSDS) has been prepared in compliance with the federal OSHA hazard Communication Standard 29 CFR 1910.1200. This product is not considered to be a hazardous chemical under that standard.

Resource Conservation and Recovery Act (RCRA): Not a hazardous waste under RCRA (40 CFR 261).

SARA Title III: Section 313 Toxic Chemical List (TCL): This product does not contain any chemicals for routine annual toxic chemical release reporting under Section 313 (40 CFR 372).

TSCA Section 8(b) - Inventory Status: All chemical components of this product are in compliance with TSCA inventory requirements.

TSCA Section 12(b) - Export Notification: This product does not contain any chemical(s) that are subject to a Section 12(b) export notification.

International Regulations:

Canadian WHMIS: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. Not WHMIS controlled.

State Regulations:

Pennsylvania Right-to-Know: The following is required composition information:

Chemical Name: Cured Epoxy

CAS Number: Confidential



Material Safety Datasheet

EB 6200

High Temperature Epoxy Board

MSDS Version: 092713

Comment: Not on Pennsylvania Hazardous Substance List

Chemical Name: Glass, oxide

Common Name: Fiberglass

CAS Number: 65997-17-3

Comment: Not on Pennsylvania Hazardous Substance List

Chemical Name: Limestone

Common Name: Calcium Carbonate

CAS Number: 1317-65-3

Comment: Hazardous Substance

16. Other Information

HMIS III rating

Health: 0 Flammability: 1 Physical hazard: 0

0= Minimal

1= Slight

2= Moderate

3= High

4= Extreme

MSDS Revision History

0

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. BCC Products shall not be held liable for any damage resulting from handling or from contact with the above product.

In this document, the following abbreviations were used:

NA = Not Applicable NE = Not Established